









The benefits of daily cranberry consumption on prevention of urinary tract infections have been well-established in numerous meta-analyses of clinical trials. However, research is indicating that cranberries can have positive effects on a number of other important health targets, including improvements in the gut microbiome and reducing risk factors for stomach ulcers and heart disease.

•••••



Love Cranberries, and Cranberries Will Love You Back

Without exception, registered dietitians (RDNs) recommend eating more fruits and vegetables. It's easy to recommend cranberries for their powerful bioactive compounds with many proven benefits for the body. High-quality scientific research on the berry's total body benefits reveals:

- Cranberries are rich in bioactive compounds including polyphenols such as anthocyanins, flavonoids, and proanthocyanidins (PACs).¹
- The benefits for cranberry and UTI are well-established, but go beyond UTI to include benefits on stomach, gut, and cardiovascular health.
- Emerging research continues to grow showing promising benefits of consuming cranberries for lower overall mortality risk, support of nerve cells & cognition, cardiometabolic health, diabetes & blood sugar management, non-alcoholic fatty liver disease management, anticancer, and immunity & virus management.

CLICK ON THE COPY BELOW TO VIEW THE SECTION

Cranberry Equivalencies

Stomach – Suppression of *H. pylori*

Gut Microbiome

Urinary Tract Health

Support of Nerve Cells & Cognition

Oral Health

Cardiometabolic Health

Cardiovascular Health

Diabetes & Blood Sugar Management

Non-Alcoholic Fatty Liver Disease Management

Anticancer - Reproductive

Anticancer - Bladder Barrett's Esophagus & Esophageal

Immunity & Virus Management

No Interaction with Warfarin (Coumadin®) and Certain Antibiotics

Cranberry Equivalencies

Cranberries as Part of a Healthy Diet

Cranberries and cranberry juice are an important part of a healthy diet.⁴ An extensive literature review of healthy foods includes cranberries as part of a short list of foods that benefit the gut microbiome and overall health.⁵

Cranberry Equivalencies

Most cranberries are harvested between September and October in the U.S., yet they can be enjoyed year-round. All forms of cranberry (juice, fresh, sauce, or dried berries) are healthy. These are the amounts needed to give your body the same level of goodness.^{6,7} But why stop there? More cranberries = more goodness!

- 8 oz. serving of 27% cranberry juice cocktail
- 2 oz. serving 100% cranberry juice
- ¼ cup fresh or frozen cranberries 0.9 g fiber⁸
- ¼ cup cranberry sauce 0.76 g fiber⁹
- 1/3 cup sweetened dried cranberries 2.79 g fiber¹⁰

Cranberries have very little natural sugar, and sweeteners can help people enjoy cranberry products. There are "light" product versions for those that like a sweet taste but are avoiding sugar and pure cranberry juice for a tangy no sugar option. Try adding 100% cranberry juice to seltzer or other beverages, and unsweetened cranberry products can be added into other foods such as smoothies, salads, or hot cereal.

Cranberries are special as they are one of the only foods rich in A-type PACs.

These bioactive compounds give cranberries the ability to inhibit bacterial adhesion in the body leading to many health benefits.¹

Cranberries are simply the berry best. The high PAC content of cranberries ranks them at the top of the list of berries to choose for their health benefits.²

When compared to other anthocyanin-containing berries, cranberry anthocyanins are the most highly available to the body.³


Stomach Suppression of *H. pylori*

Up to half of the world's population is infected with the *H. pylori* bacterium.

It is the most important cause of peptic ulcer which can lead to stomach cancer. If you don't get rid of an *H. pylori* infection, this increases the chances of getting stomach cancer six-fold.^{11,12}

H. pylori is highly contagious, transmitted through the mouth into the stomach by close contact with infected people or by consuming infected food or water. Over time, *H. pylori* has evolved to produce a high pH layer that protects it from stomach acid allowing it to dissolve the mucus layer and adhere to the stomach lining. This can lead to a cascade of inflammatory changes. Treatment from a Healthcare Professional (HCP) is essential to cure an *H. pylori* infection.^{11,12}

The proanthocyanidins (PACs) found in cranberries help suppress *H. pylori*. While more research is needed, the research found that drinking cranberry juice containing 44 mg PACs twice daily, found in about 1/2 of cup 100% cranberry juice at morning and night for eight weeks resulted in a 20% reduction of the *H. pylori* infection rate when compared to drinking less juice or a placebo. Regularly drinking this amount of pure cranberry juice has the potential to be a complementary strategy for management of *H. pylori* infection in adults.^{13,14}



Proanthocyanins (PACs) found in cranberries can help suppress an *H. pylori* infection in the stomach.

Gut Microbiome

Fruits and vegetables play an important role in maintaining a healthy gut microbiome which can protect the body against germs and help overall health and immunity.^{15,16,17}

The beneficial bioactive compounds and fiber in cranberries help keep the microbiota in your gut healthy which aids in breaking down and utilizing health-promoting compounds in foods.^{17,18}

Fiber and polyphenols in cranberries help gut microbiota

Cranberries, cranberry sauce, and dried cranberries contain fiber which can help produce metabolites to support gut microbiota.^{17,18} Cranberry polyphenols are potential prebiotics which are thought to help improve the composition of the gut microbiota.¹⁸

Cranberries are important for gut microbiota diversity and production of healthy metabolites

An evaluation of food data collected from more than 3800 people through the National Health and Nutrition Examination Survey (NHANES 2005-2010) was used to develop a dietary index for healthy gut microbiota. The research identified cranberries as part of a small list of foods found to benefit gut microbiota diversity and production of short-chain fatty acids (SCFAs).^{5,16}

SCFAs are a metabolite produced by the fermentation of dietary fiber by the gut microbiome. A growing body of research supports their role in anti-inflammation and immune regulation.¹⁹

Dried cranberries increase healthy bacteria and decrease unhealthy bacteria. Eating dried cranberries has been linked to an increase in Bacteroidetes, bacteria associated with positive health effects. Eating them is also shown to decrease Firmicutes, bacteria associated with negative health effects including energy absorption linked to obesity.^{20,21}

Cranberries Benefit the Gut & Urinary Tract Lining

A healthy gut microbiome can support the integrity of the gut barrier,^{16,17} and emerging research suggests that cranberry polyphenols may play a part in supporting the integrity and functionality of the gut barrier and possibly the lining of the urinary tract.²²

A healthy gut barrier can help keep harmful substances from leaking into the body and causing inflammatory changes. This can lead to chronic inflammation which has been linked to cardiovascular disease, cancer, diabetes, Alzheimer's disease, and chronic kidney disease.^{5,16}

New research suggests that cranberries may be able to improve the ability of cells in the urinary tract to prevent the passage of bacteria through the blood-urinary barrier helping reduce the risk for UTIs.²²

Cranberries contain a type of tannin polyphenol called proanthocyanidin which helps prevent pathogenic bacterial adhesion in multiple areas in the body (urinary tract, stomach, and oral cavity). Bacteria sticking to surfaces in the body is the first step in the infection process, so preventing this adhesion step with daily cranberry intake can keep the infection from proceeding further. Preventing infections lowers the ultimate need for antibiotic treatments, potentially slowing the pace of antibiotic resistance development, a current worldwide crisis.

Amy Howell, PhD, Associate Research Scientist (retired) Rutgers University

Urinary Tract Health

Forty percent of women and 20% of men in the U.S. will have a UTI at least once, and about 10% of women will have a UTI yearly.^{23,24}

Cranberry products offer an easy, accessible, and affordable way to prevent and reduce the incidence of UTIs. Decades of research supports the benefit of proanthocyanidins (PACs) in cranberries to provide urinary tract benefits by interfering with the ability of uropathogenic Escherichia coli (*E. coli*) bacteria to adhere to the wall of the urinary tract, the first step in the infection process. *Emerging research supports the use of a cranberry* juice-derived supplement product containing 36 mg PACs against two of the most important bacterial types causing UTIs, P-type and Type 1 E. coli.⁷⁹

Prevention of Urinary Tract Infections

In the most comprehensive scientific review to date, The Cochrane Database of Systematic Reviews examined the effectiveness of cranberry juice and supplements on UTI prevention. The findings support the use of cranberry juice, tablets, or capsules to help prevent UTIs in women with recurrent UTIs (rUTIs), in children, and in those at-risk of UTIs after an intervention.⁷ The review findings have been reinforced with an update which included analysis of 26 more studies for a total of 50 studies with 8857 participants.²⁵ A critical analysis of eight studies found that the use of cranberry products may be beneficial to prevent UTIs in the elderly in residential care facilities.²⁶

HCP Involvement in UTI Awareness and Complementary Strategies for Management

There is a need for greater involvement from HCPs to discuss UTI management with clients.^{24,27} Shared decision making between HCPs and clients can help open the lines of communication and improve client knowledge of cranberry as a complementary strategy for UTI prevention.^{24,28}

Hydration Offers Protection from UTIs

- Drinking cranberry juice increases fluid intake, and as a hydrating beverage, this may reduce risk for UTIs.^{29,30,31,32} Hydration helps increase urinary frequency and urine flow which helps flush bacteria from the urinary tract, helping to prevent UTIs.³³
- In a randomized controlled trial of 140 women with rUTIs, increasing water intake by ٠ an additional 51 ounces or about 6 1/2 cups per day, resulted in 1.5 fewer UTIs and 1.7 fewer antibiotic prescriptions per woman per year.^{34,35}





Cranberry Fights Biofilm: A Layer of Bacteria that Grows and Sticks to a Surface

Certain bad bacteria can form colonies or biofilms on surfaces such as the bladder which can harbor the bacteria protecting them from antibiotics and serve as a reservoir for future bacterial infections.

Biofilm formation can happen during the early stages of the development of an infection in the body. Cranberry polyphenols help prevent biofilm formation, which benefits health in many ways by keeping bad bacteria at bay.^{17,36,37}


Support of Nerve Cells & Cognition

An increase in fruit and vegetable intake may offer some protection against dementia and Parkinson's disease.^{40,41}

Anthocyanins, the flavonoids found in cranberries which give them their rich red color, have potent health benefits. Once consumed, they are absorbed into the bloodstream quickly and have been shown to cross the blood-brain barrier.⁴²

Anthocyanins have antioxidative and anti-inflammatory effects which may help them offer support to nerve cells in the brain. Research has uncovered the effects of anthocyanins in signaling pathways implicated in the development of Alzheimer's disease, the most common form of dementia, and Parkinson's disease.^{42,43}

- Animal models support the effects of anthocyanins on potentially delaying the development of Alzheimer's disease. Research has shown the ability of cranberry anthocyanins to ward off memory and learning deficits in rats with induced sporadic dementia of Alzheimer's type.⁴⁴ Anthocyanin-rich cranberry extracts help hinder harmful peptide formation in vitro, helping to preserve cognitive function in disease-model mice.⁴⁵
- Cranberry juice showed promise in providing potential protection from Parkinson's disease in a study on rats.⁴³
- In a randomized, placebo-controlled study of healthy adults, consuming freeze-dried cranberries - equivalent to 1 cup of fresh cranberries per day - for 12 weeks led to a significant decrease in low-density lipoprotein (LDL) cholesterol levels, known to contribute to atherosclerosis, supporting the potential benefit of cranberries to improve vascular health.
 - Cognitive performance was measured through cognitive tests and comprehensive MRI assessments.
 - The improvements in vascular health are thought to improve the amount of blood delivered to nerves, the spinal cord, and the brain.
 - These findings support the notion that cranberry supplementation may improve memory performance.⁴⁶



The anthocyanins in cranberries can be absorbed into the bloodstream quickly and have been shown to cross the blood-brain barrier.



Oral Health

What you eat and drink can have a big impact on oral health, and fruits and vegetables are shown to protect against tooth decay/cavities, and gum disease.⁴⁷

The unique compounds found in cranberries, especially the PACs, may help support oral health.

Cranberry polyphenols inhibit the effects of *Streptococcus* mutans in the oral cavity affecting both the properties and development of biofilm^{.48} Bad bacteria can form biofilms to attach to mouth surfaces and promote an infection³⁷ or cause an imbalance of bacteria in the mouth.

The isolated polyphenols in cranberries and cranberry juice have been shown to help manage the development of dental plaque, tooth decay/cavities, and gum disease.^{48,49,50} Development of products containing these isolated bioactive polyphenols have potential for improving oral cavity health.

The unique compounds found in cranberries, especially the PACs, may help support oral health.



Cardiometabolic Health

Cardiometabolic diseases are the cause of more than 4.8 million deaths of people ages 25 to 64 years in the U.S.³⁹

What you choose to eat is important to help prevent cardiometabolic diseases. The Centers for Disease Control and Prevention recommends eating more fruits, vegetables and fiber, and limiting saturated fat, sodium, sugar, and alcohol.⁵¹

Lower Overall Mortality Risk

Increased intake of flavonoid-rich berries is linked to overall lower mortality risk. An examination of more than 37,000 participants in NHANES from 1994 to 2014 found that those who consumed cranberries had reduced risk of all-cause mortality and a significantly lower risk of dying from cardiometabolic disease.³⁸

Cardiometabolic disease includes conditions that affect the heart, blood vessels, and metabolism such as heart disease, stroke, obesity, and diabetes.³⁹

Cranberries Protect Against Inflammation & Oxidative Stress

Inflammation and oxidative stress in the body are associated with cardiometabolic conditions. Evidence suggests that polyphenols and vitamin C in cranberries protect against oxidative stress, increase antioxidant capacity, and help the body manage inflammation.^{516,19,52}

Whole cranberries, dried cranberries, and cranberry sauce also have fiber that helps the gut produce SCFAs, metabolites which help manage inflammation.^{5,8,9,10,16}



Evidence suggests that polyphenols and vitamin C in cranberries protect against oxidative stress, increase antioxidant capacity, and help the body manage inflammation.



Cardiovascular Health

Between 2017 and 2020, 48.6% of adults in the U.S. had some form of cardiovascular disease.⁵³

The American Heart Association recommends fruits and vegetables to help prevent cardiovascular disease.⁵⁴ The polyphenols in cranberries are helpful to improve cardiovascular health.

Improves Blood Pressure

Although more research is needed, consuming cranberry juice might help improve blood pressure.⁵⁵ A randomized, placebo-controlled trial of 40 participants found that drinking two cups of 27% cranberry juice cocktail for eight weeks led to lower diastolic blood pressure by 1.79 ± 0.9 mm/Hg from baseline (measured on a continuous basis for 24-hours).⁵⁶

Raises High-Density Lipoprotein Levels (HDL) (Good Cholesterol)

An analysis of over 260 participants with metabolic syndrome in eight different cranberry intervention studies found that cranberries can increase high-density lipoprotein (HDL – or healthy cholesterol) levels by 2.01 mg/dl higher than the placebo group.³ *An increase of just 1 mg/dl in HDL can reduce the risk of cardiovascular disease by 2 to 3%.*^{57,58}

Improves Vascular Health

A study of 45 healthy men consuming the equivalent of 1 cup of cranberries daily for a month resulted in significant improvements in flow-mediated dilation (FMD), the ability of an artery to dilate, or expand, when blood flow increases. The results showed significant improvements in FMD just two hours after first consuming cranberries, showing both immediate and ongoing benefits.⁵⁹



Polyphenols in cranberries are helpful to improve cardiovascular health.



Diabetes & Blood Sugar Management

In the United States, 11.6% of the population has diabetes.⁶⁰

A higher intake of fruits and vegetables, especially berries, is linked to a lower risk of type 2 diabetes,⁶¹ the most common type of diabetes. The polyphenols in cranberries may help reduce the risk of diabetes.

Reduces fasting blood sugar and hemoglobin A1C


A review of 22 randomized clinical trials found that cranberry consumption significantly reduced the levels of fasting blood sugar and hemoglobin A1C (HbA1C) in people with diabetes.⁶² Of the 22 studies examined, seven used cranberry capsules and 15 used cranberry juice or smoothies.

Improves cardiometabolic biomarkers

A double-blind trial examined two groups of participants including 56 men and women who consumed one cup of low-calorie cranberry juice (LCCJ) or a placebo twice daily for eight weeks. The LCCJ group showed improvements in insulin resistance, blood sugar, triglyceride and C-reactive protein levels, and diastolic blood pressure.⁶³ LCCJ is similar to products available labeled "light" cranberry juice.

Helps lower triglyceride levels and certain markers of oxidative stress

A double-blind trial of two groups of participants including 35 men and women with high fasting blood sugar or poor glucose tolerance consumed about two cups of LCCJ or a placebo every day for eight weeks. The findings showed that LCCJ consumption can help lower triglyceride levels and certain oxidative stress markers.⁶⁴





THE CRANBERRY INSTITUTE - THE BERRY BEST GUIDE BOOK

Non-Alcoholic Fatty Liver Disease Management

Animal studies have shown promising results for the potential benefits of cranberry for the prevention and management of non-alcoholic fatty liver disease.^{65,66}

The findings suggest that the anti-oxidative and anti-inflammatory actions of cranberry PACs may help to prevent obesity, improve insulin resistance, lower high blood cholesterol levels, and reduce buildup of fat in the liver.⁶⁶





Cranberry PACs may help reduce buildup of fat in the liver.

Anticancer

REPRODUCTIVE

In the U.S., about 40% of cancer cases could be prevented with changes to diet and other health habits.

The American Institute for Cancer Research recommends a diet rich in whole grains, vegetables, fruits, and beans as healthy choices to lower cancer risk.⁶⁷ The polyphenols, including PACs, and vitamin C found in cranberries are the main sources of cranberry's potential anticancer properties.

Reproductive Cancers

A review of experimental models shows promise for the therapeutic effects of bioactive compounds found in cranberries on reproductive cancer cells such as prostate, ovarian, and cervical cancers.⁶⁸

Cranberries are high in ursolic acid, a phytochemical found in the skin of cranberries which has antioxidant, anti-inflammatory, and anticancer properties.¹⁶⁹ This review examined in vitro and animal studies. The review of in vitro studies suggests that ursolic acid is beneficial against prostate cancer cells due to promotion of apoptosis - cell death which helps to maintain a healthy balance of cells in the body - and inhibition of cell cycle progression. The review of animal studies suggests reduced prostate tumor volume and increased survival rates in mice.⁶⁹

In vitro research suggests that certain cranberry flavonols and cranberry PACs have cytotoxic effects against ovarian cancer cells. This research shows promise for newly characterized cranberry flavonoids quercitin aglycone and PAC DP-9 on in vitro cytotoxicity and anti-proliferation – a decrease in number of cancer cells.⁷⁰



In vitro research suggests that certain cranberry flavonols and cranberry PACs have cytotoxic effects against ovarian cancer cells.

Anticancer

BLADDER CANCER BARRETT'S ESOPHAGUS & ESOPHAGEAL CANCER

Bladder Cancer

An examination of the potential role of cranberries in bladder cancer (BC) proposes that the bioactive compounds found in cranberries may inhibit growth of BC cells. The effects of cranberry on BC are thought to be due to flavonoids.

Cranberry is proposed to affect BC in these additional ways:

- Be selectively toxic to BC cells
- Decrease tumor size, growth, and division of BC cells
- Inhibit VEGF (vascular endothelial growth factor) which stimulates the growth of blood vessels linked to tumor growth
- Prevent UTIs, which can be a side effect of certain BC treatments⁷¹

Barrett's Esophagus & Esophageal Cancer

Inflammation from gastroesophageal reflux disease (GERD) can shift healthy bacteria on the esophagus to unhealthy, pathogenic bacteria. These unwanted changes in the esophageal microbiome can cause Barrett's esophagus, which can lead to esophageal cancer. Animal studies have shown promise for prebiotic cranberry PACs to support a healthier esophageal microbiome.⁷²

Transporters expressed in the intestine play a role in circulation of bile acids. An animal model showed promising evidence of cranberry PACs helping to ease bile reflux-induced transporter dysregulation which may contribute to the prevention of esophageal cancer.⁷³



The bioactive compounds found in cranberries may inhibit growth of Bladder Cancer cells.



Immunity & Virus Management

- Emerging research shows that certain cranberry bioactive compounds including anthocyanins, carotenoids, and PACs have powerful effects against a main villain of the COVID-19 virus, the Mpro enzyme.⁷⁴ Mpro is a protein whose structure has remained similar in most variants of the COVID-19 virus, making it a great target for development of protective strategies.
- Research suggests that cranberry polyphenols improve gut bacteria which helps with immunity benefits.⁷⁵ Dried cranberries have been shown to decrease negative Firmicutes bacteria and increase healthful Bacteroidetes bacteria.^{20,21} Cranberries also help increase production of SCFAs, which have a role in supporting immunity.^{5,16}


No Interaction with Blood Thinner Warfarin (Coumadin[®]) and Certain Antibiotics

Research on cranberry juice and Warfarin (Coumadin®) and certain antibiotics reveals:

- Complete avoidance of cranberry juice in people using Warfarin (Coumadin[®]) is not warranted. However, having large amounts daily, such as 1-2 liters of cranberry juice, or taking certain cranberry juice supplements daily for more than 3-4 weeks may temporarily change the effects of Warfarin (Coumadin[®]).⁷⁶
- Certain antibiotics may be prescribed for infections, and food-drug interactions can occur which can change the potency of the antibiotics. A systematic review found no significant interaction between cranberry juice and the bioavailability of amoxicillin and cefaclor.⁷⁷

The current U.S. Food and Drug Administration medication guide for Warfarin (Coumadin®) states: "Some foods and beverages can interact with Warfarin (Coumadin®) and affect your treatment and dose. Eat a normal, balanced diet. Talk to your healthcare provider before you make any diet changes. Do not eat large amounts of leafy, green vegetables. Leafy, green vegetables contain vitamin K. Certain vegetable oils also contain large amounts of vitamin K. Too much vitamin K can lower the effect of Warfarin (Coumadin®). Always tell all of your healthcare providers that you take Warfarin (Coumadin®).⁷⁸

A consistent diet is one way to help keep Warfarin (Coumadin®) working at its best. It's important to discuss any major changes to the foods you typically eat with your HCP.⁷⁸





1. Nemzer BV, Al-Taher F, Yashin A, Revelsky I, Yashin Y. Cranberry: Chemical Composition, Antioxidant Activity and Impact on Human Health: Overview . Molecules. 2022 Feb 23;27(5):1503. doi: 10.3390/molecules27051503. PMID: 35268605; PMCID: PMC8911768.

2 <u>Calvano A</u>, <u>Izuora K</u>, <u>Oh EC</u>, <u>Ebersole JL</u>, <u>Lyons TJ</u>, <u>Basu A</u>. <u>Dietary</u> berries, insulin resistance and type 2 diabetes: an overview of human feeding trials. Food Funct. 2019 Oct 16;10(10):6227-6243. doi: 10.1039/c9fo01426h. PMID: 31591634; PMCID: PMC7202899.

3 Wilken MR, Lambert MNT, Christensen CB, Jeppesen PB. Effects of Anthocyanin-rich Berries on the Risk of Metabolic Syndrome: A Systematic Review and Meta-analysis. Rev Diabet Stud. 2022 Mar 9;18(1):42-57. doi: 10.1900/RDS.2022.18.42. PMID: 35300756; PMCID: PMC9382680

4. Basu A. Role of Berry Bioactive Compounds on Lipids and Lipoproteins in Diabetes and Metabolic Syndrome. Nutrients. 2019 Aug 22;11(9):1983. doi: 10.3390/nu11091983. PMID: 31443489; PMCID: PMC6770868.

5. Kase BE, Liese AD, Zhang J, Murphy EA, Zhao L, Steck SE. The Development and Evaluation of a Literature-Based Dietary Index for Gut Microbiota. Nutrients. 2024 Apr 3;16(7):1045. doi: 10.3390/nu16071045. PMID: 38613077; PMCID: PMC11013161.

6 The Cranberry Institute. About Cranberries. Equivalencies. Available at: https://www.cranberryinstitute.org/about-cranberries/equivalencies

7. Williams G, Hahn D, Stephens JH, Craig JC, Hodson EM. Cranberries for preventing urinary tract infections. Cochrane Database Syst Rev 2023;(4):CD001321. Update in: Cochrane Database Syst Rev 2023;(11):CD001321.

B U.S. Department of Agriculture FoodData Central. Cranberries, raw, whole. Available at:

https://fdc.nal.usda.gov/fdc-app.html#/food-details/171722/nutrients

9. U.S. Department of Agriculture FoodData Central. Cranberry sauce, canned, sweetened.

https://fdc.nal.usda.gov/fdc-app.html#/food-details/173961/nutrients

10. U.S. Department of Agriculture FoodData Central. Cranberries, dried, sweetened. Available at:

https://fdc.nal.usda.gov/fdc-app.html#/food-details/171723/nutrients

11. Parikh NS, Ahlawat R. *Helicobacter Pylori*. [Updated 2023 Aug 8]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2024 Jan. Available from: https://www.ncbi.nlm.nih.gov/books/NBK534233/

12. Fuccio L, Eusebi LH, Bazzoli F. Gastric cancer, *Helicobacter pylori* infection and other risk factors. World J Gastrointest Oncol. 2010 Sep 15;2(9):342-7. doi: 10.4251/wjgo.v2.i9.342. PMID: 21160805; PMCID: PMC2999139.

13. <u>Zhe-Xuan L, Jun-Ling M, Yang G, Wei-Dong L, Ming L, et al. Suppression</u> of *Helicobacter pylori* infection by daily cranberry intake: A double-blind, randomized, placebo-controlled trial. J. Gastroenterol Hepatol. August 2020; doi: 10.1111/jgh.15212.

14. <u>Wang Q, Yao C, Li Y, Luo L, Xie F, Xiong Q, Feng P. Effect of polyphenol</u> compounds on *Helicobacter pylori* eradication: a systematic review with meta-analysis. BMJ Open. 2023 Jan 5;13(1):e062932. doi: 10.1136/bmjopen-2022-062932. PMID: 36604137; PMCID: PMC9827256.

15. Frankenfeld CL, Hullar MAJ, Maskarinec G, Monroe KR, Shepherd JA, Franke AA, Randolph TW, Wilkens LR, Boushey CJ, Le Marchand L, Lim U, Lampe JW. The Gut Microbiome Is Associated with Circulating Dietary Biomarkers of Fruit and Vegetable Intake in a Multiethnic Cohort. J Acad Nutr Diet. 2022 Jan;122(1):78-98. doi: 10.1016/j.jand.2021.05.023. Epub 2021 Jul 3. PMID: 34226163; PMCID: PMC9019929.



References

16. Pahwa R, Goyal A, Jialal I. Chronic Inflammation. [Updated 2023 Aug 7]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2024 Jan-. Available from: https://www.ncbi.nlm.nih.gov/books/NBK493173/

17. Blumberg JB, Basu A, Krueger CG, Lila MA, Neto CC, Novotny JA, Reed JD, Rodriguez-Mateos A, Toner CD. Impact of Cranberries on Gut Microbiota and Cardiometabolic Health: Proceedings of the Cranberry Health Research Conference 2015. Adv Nutr. 2016 Jul 15;7(4):759S-70S. doi: 10.3945/an.116.012583. PMID: 27422512; PMCID: PMC4942875.

18. Taibi A, Lofft Z, Laytouni-Imbriaco B, Comelli EM. The role of intestinal microbiota and microRNAs in the anti-inflammatory effects of cranberry: from pre-clinical to clinical studies. Front Nutr. 2023 May 23;10:1092342. doi: 10.3389/fnut.2023.1092342. PMID: 37287997; PMCID: PMC10242055.

19. Xiong RG, Zhou DD, Wu SX, Huang SY, Saimaiti A, Yang ZJ, Shang A, Zhao CN, Gan RY, Li HB. Health Benefits and Side Effects of Short-Chain Fatty Acids. Foods. 2022 Sep 15;11(18):2863. doi: 10.3390/foods11182863. PMID: 36140990; PMCID: PMC9498509.

20. Bekiares N, Krueger CG, Meudt JJ, Shanmuganayagam D, Reed JD Effect of Sweetened Dried Cranberry Consumption on Urinary Proteome and Fecal Microbiome in Healthy Human Subjects. OMICS. 2018 Feb;22(2):145-153. doi: 10.1089/omi.2016.0167. Epub 2017 Jun 15. PMID: 28618237; PMCID: PMC5810433.

21. Rodríguez-Morató J, Matthan NR, Liu J, de la Torre R, Chen CO. Cranberries attenuate animal-based diet-induced changes in microbiota composition and functionality: a randomized crossover controlled feeding trial. J Nutr Biochem. 2018 Dec;62:76-86. doi: 10.1016/j.jnutbio.2018.08.019. Epub 2018 Sep 8. PMID: 30269035. **22.** <u>González de Llano D, Roldán M, Taladrid D, Relaño de la Guía E, Moreno-</u> <u>Arribas MV, Bartolomé B. Cranberry Polyphenols and Prevention</u> <u>against Urinary Tract Infections: New Findings Related to the Integrity and</u> <u>Functionality of Intestinal and Urinary Barriers. J Agric Food Chem. 2024 May</u> <u>8;72(18):10328-10338. doi: 10.1021/acs.jafc.3c07169. Epub 2024 Apr 23.</u> <u>PMID: 38651941; PMCID: PMC11082924.</u>

23. Bono MJ, Leslie SW, Reygaert WC. Uncomplicated Urinary Tract Infections. [Updated 2023 Nov 13]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2024 Jan-. Available from: https://www.ncbi.nlm.nih.gov/books/NBK470195/

24. Farrell K, Tandan M, Hernandez Santiago V, Gagyor I, Braend AM, Skow M, Vik I, Jansaaker F, Hayward G, Vellinga A. Treatment of uncomplicated UTI in males: a systematic review of the literature. BJGP Open. 2021 Apr 26;5(2):bjgpopen20X101140. doi: 10.3399/bjgpopen20X101140. PMID: 33234514; PMCID: PMC8170603.

25. Williams G, Stothart CI, Hahn D, Stephens JH, Craig JC, Hodson EM. Cranberries for preventing urinary tract infections. Cochrane Database Syst Rev. 2023 Nov 10;11(11):CD001321. doi: 10.1002/14651858.CD001321.pub7. PMID: 37947276; PMCID: PMC10636779.

26. Bartlett JE, De Bellis A. The prevention of urinary tract infections in aged care residents through the use of cranberry products: a critical analysis of the literature. Contemp Nurse. 2022 Aug;58(4):296-316. doi: 10.1080/10376178.2022.2104332. Epub 2022 Aug 6. PMID: 35861109.

27. Grigoryan L, Mulgirigama A, Powell M, Schmiemann G. The emotional impact of urinary tract infections in women: a qualitative analysis. BMC Womens Health. 2022 May 18;22(1):182. doi: 10.1186/s12905-022-01757-3. PMID: 35585572; PMCID: PMC9118576.

28 Jerkovic I, Bukic J, Leskur D, Seselja Perisin A, Rusic D, Bozic J, Zuvela T, Vuko S, Vukovic J, Modun D. Young Women's Attitudes and Behaviors in Treatment and Prevention of UTIs: Are Biomedical Students at an Advantage? Antibiotics (Basel). 2023 Jun 26;12(7):1107. doi: 10.3390/antibiotics12071107. PMID: 37508203; PMCID: PMC10376538.

29. Beetz R. Mild dehydration: a risk factor of urinary tract infection? Eur J Clin Nutr. 2003 Dec;57 Suppl 2:S52-8. doi: 10.1038/sj.ejcn.1601902. PMID: 14681714.

30 <u>Kurotschka PK, Gágyor I, Ebell MH. Acute Uncomplicated UTIs in Adults:</u> <u>Rapid Evidence Review. Am Fam Physician. 2024 Feb;109(2):167-174. PMID:</u> <u>38393801.</u>

31. Lazarus JE, Gupta K. Recurrent UTI in Women-Risk Factors and Management. Infect Dis Clin North Am. 2024 Jun;38(2):325-341. doi: 10.1016/j.idc.2024.03.010. Epub 2024 Apr 10. PMID: 38599896.

32 Schmiemann G, Kranz J, Mandraka F, Schubert S, Wagenlehner F, Gágyor I. The Diagnosis, Treatment, and Prevention of Recurrent Urinary Tract Infection. Dtsch Arztebl Int. 2024 May 31; (Forthcoming):arztebl.m2024.0068. doi: 10.3238/arztebl.m2024.0068. Epub ahead of print. PMID: 38686602.

33. Perrier ET, Armstrong LE, Bottin JH, Clark WF, Dolci A, Guelinckx I, Iroz A, Kavouras SA, Lang F, Lieberman HR, Melander O, Morin C, Seksek I, Stookey JD, Tack I, Vanhaecke T, Vecchio M, Péronnet F. Hydration for health hypothesis: a narrative review of supporting evidence. Eur J Nutr. 2021 Apr;60(3):1167-1180. doi: 10.1007/s00394-020-02296-z. Epub 2020 Jul 6. PMID: 32632658; PMCID: PMC7987589.

34. Hooton TM, Vecchio M, Iroz A, Tack I, Dornic Q, Seksek I, Lotan Y. Effect of Increased Daily Water Intake in Premenopausal Women With Recurrent Urinary Tract Infections: A Randomized Clinical Trial. JAMA Intern Med. 2018 Nov 1;178(11):1509-1515. doi: 10.1001/jamainternmed.2018.4204. PMID: 30285042; PMCID: PMC6584323. **35.** Lindblad AJ, Craig R. Drink up: increasing fluid intake to prevent recurrent UTIs. Tools for Practice #233. Mississauga, ON: College of Family Physicians of Canada; 2019. Available from: https://cfpclearn.ca/tfp233/.

36 Arafi V, Hasani A, Sadeghi J, Varshochi M, Poortahmasebi V, Hasani A, Hasani R. Uropathogenic Escherichia coli endeavors: an insight into the characteristic features, resistance mechanism, and treatment choice. Arch Microbiol. 2023 May 8;205(6):226. doi: 10.1007/s00203-023-03553-5. PMID: 37156886.

37. Sánchez MC, Ribeiro-Vidal H, Bartolomé B, Figuero E, Moreno-Arribas MV, Sanz M, Herrera D. New Evidences of Antibacterial Effects of Cranberry Against Periodontal Pathogens. Foods. 2020 Feb 24;9(2):246. doi: 10.3390/ foods9020246. PMID: 32102416; PMCID: PMC7074180.

38 Zhang L, Muscat JE, Chinchilli VM, Kris-Etherton PM, Al-Shaar L, Richie JP. Consumption of Berries and Flavonoids in Relation to Mortality in NHANES, 1999-2014. J Nutr. 2024 Feb;154(2):734-743. doi: 10.1016/j.tjnut.2024.01.002. Epub 2024 Jan 5. PMID: 38184200.

39. National Academies of Sciences, Engineering, and Medicine; Division of Behavioral and Social Sciences and Education; Committee on National Statistics; Committee on Population; Committee on Rising Midlife Mortality Rates and Socioeconomic Disparities; Becker T, Majmundar MK, Harris KM, editors. High and Rising Mortality Rates Among Working-Age Adults. Washington (DC): National Academies Press (US); 2021 Mar 2. 9, Cardiometabolic Diseases. Available from: https://www.ncbi.nlm.nih.gov/books/NBK571925/

40. Jiang X, Huang J, Song D, Deng R, Wei J, Zhang Z. Increased Consumption of Fruit and Vegetables Is Related to a Reduced Risk of Cognitive Impairment and Dementia: Meta-Analysis. Front Aging Neurosci. 2017 Feb 7;9:18. doi: 10.3389/fnagi.2017.00018. PMID: 28223933; PMCID: PMC5293796.

41. Gao X, Chen H, Fung TT, Logroscino G, Schwarzschild MA, Hu FB, Ascherio A. Prospective study of dietary pattern and risk of Parkinson disease. Am J Clin Nutr. 2007 Nov;86(5):1486-94. doi: 10.1093/ajcn/86.5.1486. PMID: 17991663; PMCID: PMC2225168.

42. Zaa CA, Marcelo ÁJ, An Z, Medina-Franco JL, Velasco-Velázquez MA. Anthocyanins: Molecular Aspects on Their Neuroprotective Activity. Biomolecules. 2023 Oct 31;13(11):1598. doi: 10.3390/biom13111598. PMID: 38002280; PMCID: PMC10669056.

43. <u>Witucki Ł, Kurpik M, Jakubowski H, Szulc M, Łukasz Mikołajczak P,</u> Jodynis-Liebert J, Kujawska M. Neuroprotective Effects of Cranberry Juice Treatment in a Rat Model of Parkinson's Disease. Nutrients. 2022 May 11;14(10):2014. doi: 10.3390/nu14102014. PMID: 35631155; PMCID: PMC9144186.</u>

44. Gutierres JM, Carvalho FB, Schetinger MR, Marisco P, Agostinho P, Rodrigues M, Rubin MA, Schmatz R, da Silva CR, de P Cognato G, Farias JG, Signor C, Morsch VM, Mazzanti CM, Bogo M, Bonan CD, Spanevello R. Anthocyanins restore behavioral and biochemical changes caused by streptozotocin-induced sporadic dementia of Alzheimer's type. Life Sci. 2014 Feb 6;96(1-2):7-17. doi: 10.1016/j.lfs.2013.11.014. Epub 2013 Nov 28. PMID: 24291256.

45. Yamakawa MY, Uchino K, Watanabe Y, Adachi T, Nakanishi M, Ichino H, Hongo K, Mizobata T, Kobayashi S, Nakashima K, Kawata Y. Anthocyanin suppresses the toxicity of A β deposits through diversion of molecular forms in in vitro and in vivo models of Alzheimer's disease. Nutr Neurosci. 2016;19(1):32-42. doi: 10.1179/1476830515Y.000000042. Epub 2015 Aug 25. PMID: 26304685. **46.** Flanagan E, Cameron D, Sobhan R, Wong C, Pontifex MG, Tosi N, Mena P, Del Rio D, Sami S, Narbad A, Müller M, Hornberger M, Vauzour D. Chronic Consumption of Cranberries (Vaccinium macrocarpon) for 12 Weeks Improves Episodic Memory and Regional Brain Perfusion in Healthy Older Adults: A Randomised, Placebo-Controlled, Parallel-Groups Feasibility Study. Front Nutr. 2022 May 19;9:849902. doi: 10.3389/fnut.2022.849902. PMID: 35662954; PMCID: PMC9160193.

47. Moynihan PJ. The role of diet and nutrition in the etiology and prevention of oral diseases. Bull World Health Organ. 2005 Sep;83(9):694-9. Epub 2005 Sep 30. PMID: 16211161; PMCID: PMC2626331.

48. <u>García-Manríquez N, Lozano C, Muñoz A, Morales MF, Giacaman RA.</u> Anticaries properties of natural berries: systematic literature review. Nutr Rev. 2024 Feb 12;82(3):302-317. doi: 10.1093/nutrit/nuad063. PMID: 37352393.

49. <u>Alexander B, John S. Oral Health Benefits of Cranberry: A Review . IOSR</u> <u>Journal of Dental and Medical Sciences. 2019 Jan;18(1):41-4.</u> <u>https://www.iosrjournals.org/iosr-jdms/papers/Vol18-issue1/Version-2/J1801</u> <u>024144.pdf</u>

50. Yamanaka A, Kimizuka R, Kato T, Okuda K. Inhibitory effects of cranberry juice on attachment of oral streptococci and biofilm formation. Oral Microbiol Immunol. 2004 Jun;19(3):150-4. doi: 10.1111/j.0902-0055.2004.00130.x. PMID: 15107065.

51. The Centers for Disease Control and Prevention. Preventing heart disease. Available at: https://www.cdc.gov/heart-disease/prevention/index.html

52. Helm MM, Alaba T, Klimis-Zacas D, Izuora K, Basu A. Effect of Dietary Berry Supplementation on Antioxidant Biomarkers in Adults with Cardiometabolic Risks: A Systematic Review of Clinical Trials. Antioxidants (Basel). 2023 May 30;12(6):1182. doi: 10.3390/antiox12061182. PMID: 37371912; PMCID: PMC10295504. **53.** American Heart Association. 2024 Heart Disease and Stroke Statistics Update Fact Sheet. Available at:

https://www.heart.org/-/media/PHD-Files-2/Science-News/2/2024-Heartand-Stroke-Stat-Update/2024-Statistics-At-A-Glance-final_2024.pdf

54. American Heart Association. How to Eat More Fruits and Vegetables. Available at:

https://www.heart.org/en/healthy-living/healthy-eating/add-color/how-to-ea t-more-fruits-and-vegetables

55. Wang Y, Gallegos JL, Haskell-Ramsay C, Lodge JK. Effects of chronic consumption of specific fruit (berries, citrus and cherries) on CVD risk factors: a systematic review and meta-analysis of randomised controlled trials. Eur J Nutr. 2021 Mar;60(2):615-639. doi: 10.1007/s00394-020-02299-w. Epub 2020 Jun 13. Erratum in: Eur J Nutr. 2021 Mar;60(2):641-642. doi: 10.1007/s00394-020-02456-1. PMID: 32535781; PMCID: PMC7900084.

56. <u>Richter CK, Skulas-Ray AC, Gaugler TL, Meily S, Petersen KS,</u> <u>Kris-Etherton PM. Effects of Cranberry Juice Supplementation on</u> <u>Cardiovascular Disease Risk Factors in Adults with Elevated Blood Pressure:</u> <u>A Randomized Controlled Trial. Nutrients. 2021 Jul 29;13(8):2618.</u> <u>doi: 10.3390/nu13082618. PMID: 34444779; PMCID: PMC8398037.</u>

57. Gordon DJ, Probstfield JL, Garrison RJ, Neaton JD, Castelli WP, Knoke JD, Jacobs DR Jr, Bangdiwala S, Tyroler HA. High-density lipoprotein cholesterol and cardiovascular disease. Four prospective American studies. Circulation. 1989 Jan;79(1):8-15. doi: 10.1161/01.cir.79.1.8. PMID: 2642759.

58. Emerging Risk Factors Collaboration; Di Angelantonio E, Sarwar N, Perry P, Kaptoge S, Ray KK, Thompson A, Wood AM, Lewington S, Sattar N, Packard CJ, Collins R, Thompson SG, Danesh J. Major lipids, apolipoproteins, and risk of vascular disease. JAMA. 2009 Nov 11;302(18):1993-2000. doi: 10.1001/jama.2009.1619. PMID: 19903920; PMCID: PMC3284229.

59. <u>Heiss C, Istas G, Feliciano RP, Weber T, Wang B, Favari C, Mena P, Del Rio D, Rodriguez-Mateos A. Daily consumption of cranberry improves endothelial function in healthy adults: a double blind randomized controlled trial. Food Funct. 2022 Apr 4;13(7):3812-3824. doi: 10.1039/d2fo00080f. PMID: 35322843.</u>

60. The Centers for Disease Control and Prevention. National Diabetes Statistics Report. Available at: https://www.cdc.gov/diabetes/php/data-research/index.html

61. Wang PY, Fang JC, Gao ZH, Zhang C, Xie SY. Higher intake of fruits, vegetables or their fiber reduces the risk of type 2 diabetes: A meta-analysis. J Diabetes Investig. 2016 Jan;7(1):56-69. doi: 10.1111/jdi.12376. Epub 2015 Jun 22. PMID: 26816602; PMCID: PMC4718092.

62. Delpino FM, Figueiredo LM, Gonçalves da Silva T, Flores TR. Effects of blueberry and cranberry on type 2 diabetes parameters in individuals with or without diabetes: A systematic review and meta-analysis of randomized clinical trials. Nutr Metab Cardiovasc Dis. 2022 May;32(5):1093-1109. doi: 10.1016/j.numecd.2022.02.004. Epub 2022 Feb 17. PMID: 35282984.

63. <u>Novotny JA, Baer DJ, Khoo C, Gebauer SK, Charron CS. Cranberry</u> juice consumption lowers markers of cardiometabolic risk, including blood pressure and circulating C-reactive protein, triglyceride, and glucose concentrations in adults. J Nutr. 2015 Jun;145(6):1185-93. doi: 10.3945/jn.114.203190. Epub 2015 Apr 22. PMID: 25904733.</u>

64. <u>Hsia DS, Zhang DJ, Beyl RS, Greenway FL, Khoo C. Effect of daily</u> consumption of cranberry beverage on insulin sensitivity and modification of cardiovascular risk factors in adults with obesity: a pilot, randomised, placebo-controlled study. Br J Nutr. 2020 Sep 28;124(6):577-585. doi: 10.1017/S0007114520001336. Epub 2020 Apr 17. PMID: 32301407; PMCID: PMC9014773. **65.** Shimizu K. Development of an Improved Adenovirus Vector and Its Application to the Treatment of Lifestyle-Related Diseases. Biol Pharm Bull. 2024;47(5):886-894. doi: 10.1248/bpb.b23-00837. PMID: 38692864.

66. Feldman F, Koudoufio M, El-Jalbout R, Sauvé MF, Ahmarani L, Sané AT, Ould-Chikh NE, N'Timbane T, Patey N, Desjardins Y, Stintzi A, Spahis S, Levy E. Cranberry Proanthocyanidins as a Therapeutic Strategy to Curb Metabolic Syndrome and Fatty Liver-Associated Disorders. Antioxidants (Basel). 2022 Dec 30;12(1):90. doi: 10.3390/antiox12010090. PMID: 36670951; PMCID: PMC9854780.

67. American Institute for Cancer Research . How to prevent cancer: 10 recommendations. Available at:

https://www.aicr.org/cancer-prevention/how-to-prevent-cancer/

68. Alsharairi NA. A Review with a Focus on Vaccinium-Berries-Derived Bioactive Compounds for the Treatment of Reproductive Cancers. Plants (Basel). 2024 Apr 8;13(7):1047. doi: 10.3390/plants13071047. PMID: 38611574; PMCID: PMC11013621.

69. Kornel A, Nadile M, Retsidou MI, Sakellakis M, Gioti K, Beloukas A, Sze NSK, Klentrou P, Tsiani E. Ursolic Acid against Prostate and Urogenital Cancers: A Review of In Vitro and In Vivo Studies. Int J Mol Sci. 2023 Apr 18;24(8):7414. doi: 10.3390/ijms24087414. PMID: 37108576; PMCID: PMC10138876.

70. Wang Y, Han A, Chen E, Singh RK, Chichester CO, Moore RG, Singh AP, Vorsa N. The cranberry flavonoids PAC DP-9 and quercetin aglycone induce cytotoxicity and cell cycle arrest and increase cisplatin sensitivity in ovarian cancer cells. Int J Oncol. 2015 May;46(5):1924-34. doi:10.3892/ ijo.2015.2931. Epub 2015 Mar 17. Erratum in: Int J Oncol. 2022 Oct;61(4):118. doi: 10.3892/ijo.2022.5408. PMID: 25776829; PMCID: PMC4383025. **71.** Wigner P, Bijak M, Saluk-Bijak J. Clinical Potential of Fruit in Bladder Cancer Prevention and Treatment. Nutrients. 2022 Mar 8;14(6):1132. doi: 10.3390/nu14061132. PMID: 35334790; PMCID: PMC8951059.

 Weh KM, Howard CL, Zhang Y, Tripp BA, Clarke JL, Howell AB, <u>Rubenstein JH, Abrams JA, Westerhoff M, Kresty LA. Prebiotic</u> proanthocyanidins inhibit bile reflux-induced esophageal adenocarcinoma through reshaping the gut microbiome and esophageal metabolome. JCI <u>Insight. 2024 Feb</u> 8;9(6):e168112. doi: 10.1172/jci.insight.168112. PMID: 38329812; PMCID: PMC11063939.

73. Zhang Y, Weh KM, Tripp BA, Clarke JL, Howard CL, Sunilkumar S, Howell AB, Kresty LA. Cranberry Proanthocyanidins Mitigate Reflux-Induced Transporter Dysregulation in an Esophageal Adenocarcinoma Model. Pharmaceuticals (Basel). 2023 Dec 7;16(12):1697. doi: 10.3390/ph16121697. PMID: 38139823; PMCID: PMC10747310.

74. Pillai U J, Cherian L, Taunk K, Iype E, Dutta M. Identification of antiviral phytochemicals from cranberry as potential inhibitors of SARS-CoV-2 main protease (Mpro). Int J Biol Macromol. 2024 Mar;261(Pt 1):129655. doi: 10.1016/j.ijbiomac.2024.129655. Epub 2024 Jan 22. PMID: 38266830.

75. Komarnytsky S, Wagner C, Gutierrez J, Shaw OM. Berries in Microbiome-Mediated Gastrointestinal, Metabolic, and Immune Health. Curr Nutr Rep. 2023 Mar;12(1):151-166. doi: 10.1007/s13668-023-00449-0. Epub 2023 Feb 4. PMID: 36738429.

76. <u>Srinivas NR. Cranberry juice ingestion and clinical drug-drug</u> interaction potentials; review of case studies and perspectives. J Pharm Pharm Sci. 2013;16(2):289-303. doi: 10.18433/j3ng6z. PMID: 23958198. **77.** Wiesner A, Zagrodzki P, Paśko P. Do dietary interventions exert clinically important effects on the bioavailability of β -lactam antibiotics? A systematic review with meta-analyses. J Antimicrob Chemother. 2024 Apr 2;79(4):722-757. doi: 10.1093/jac/dkae028. PMID: 38334389.

78. The Food & Drug Administration. Coumadin (Warfarin Sodium) Tablets Label. Available at: https://www.accessdata.fda.gov/drugsatfda_docs/label/2011/009218s107lbl.pdf

79. Howell AB, Dreyfus JF, Bosley S, Krueger CG, Birmingham A, Reed JD, Chughtai B. Differences in P-Type and Type 1 Uropathogenic Escherichia coli Urinary Anti-Adhesion Activity of Cranberry Fruit Juice Dry Extract Product and D-Mannose Dietary Supplement. J Diet Suppl. 2024;21(5):633-659. doi: 10.1080/19390211.2024.2356592. Epub 2024 May 28. PMID: 38804849.

